

3346_Nursing.docx

by Turnitin LLC

Submission date: 03-Nov-2024 06:07PM (UTC+0900)

Submission ID: 2506365164

File name: 3346_Nursing.docx (333.42K)

Word count: 4250

Character count: 27180

Infection Prevention and Control

Student Name:

Student ID:

Table of Contents

a) Critical Appraisal ³ of Infection Prevention and Control Measures in a Nursing Home Facility	3
1. Introduction	3
2. The Importance of Infection Prevention and Control	3
3. Impact on Patient Outcomes and Safety	5
4. Common Infection Sources in Healthcare	6
5. Conclusion	7
b) Critical Assessment of Infection Anticipation and Regulator in a Nursing Home Background	8
1. Introduction	8
2. Understanding about Infection Prevention and Control process in Nursing Homes	8
3. Current Infection Prevention and Control Measures Implementation Process	9
4. Challenges in Implementing Infection Control and Prevention Strategy in Nursing Homes	10
5. Solutions to Increase Infection Prevention and Control	11
6. Examples of Best Practices and Case Studies	13
7. Conclusion	14
References	15

a) Critical Appraisal³ of Infection Prevention and Control Measures in a Nursing Home Facility

1. Introduction

¹¹ Infection prevention and control (IPC) defends patient safety and avoids healthcare-associated infections (HAIs) which is a serious feature of healthcare. These infections stance important risks to patient health, developed within the healthcare background and contribute to amplified humanity.

It also safeguards the security of healthcare workers as the significance of IPC spreads beyond individual patient consequences. Healthcare facilities can bound the spread of infectious illnesses by applying rigorous and systematic IPC practices which can lead to antibiotic confrontation, eruptions and even death. IPC measures include a comprehensive range of strategies by monitoring the transmission of pathogens through airborne routes, droplets and contact. The significance not only for the healthcare but also for the patient's infrastructure as a whole which are important to follow to proper IPC standards.

⁶ 2. The Importance of Infection Prevention and Control (IPC)

IPC is vital for upholding public health, safeguarding patient safety and handling the integrity of healthcare systems. It can meaningfully impact both patients and healthcare workers which serves as the forefront defence against HAIs (Emmanuel *et al.*, 2020). Patients pose thoughtful health risks when they obtain infections during the course of unloading medical care.¹




Figure 1: Importance of Infection Prevention and Control

(Source: Self-Made)

Safeguarding Patient Health

The primary goal of IPC is to protect patient health that may happen during medical procedures by stopping infections. Infections can ascend due to gaps in hygiene or insufficient sterilisation of equipment. *For example*, inappropriate hand hygiene can present damaging pathogens into the patient's system by healthcare workers or the recycling of non-sterile remedial tools. Strict obedience wearing personal protective equipment (PPE) to IPC protocols to diminish these risks (Islam *et al.*, 2020).

Protecting Healthcare Workers

IPC measures are critical for protecting healthcare workers from exposure to infectious agents in addition to patient safety. Healthcare professionals through close contact with patients are constantly exposed to pathogens. Healthcare workers are at risk of spreading infections without proper IPC practices which can compromise their ability to care for others within healthcare facilities. PPE is an essential component of IPC. Healthcare workers can decrease the risk of exposure to bloodborne pathogens by consuming these barriers.

Preventing the Spread of Antibiotic Resistance

Another serious characteristic of IPC is preventing the spread of antibiotic-resistant infections (World Health Organization, 2021). Waste ¹ of antibiotics can lead to the growth and spread of multidrug-resistant organisms united with deprived IPC practices. These organisms are problematic to treat and can result in plain problems for ill patients. IPC strategies are vital in curbing the spread of these unsafe pathogens. Healthcare facilities can decrease the reliance on antibiotics and help reserve their efficiency for future use by monitoring the broadcast of infections.

Economic Impact and Healthcare Efficiency

HAIs not only impose significant economic burdens but also affect patient health on healthcare systems. Treating infections often requires additional medical interventions in healthcare settings (Saiman *et al.*, 2020). *For instance*, an infection for several extra days could have been prevented through proper IPC measures which may result in a patient staying in the hospital. It occupies beds and requires further care that could have been avoided.

IPC are important to upholding an effective and harmless healthcare system. It ² plays a critical role in safeguarding the quality of care by keeping patients and healthcare workers. IPC practices are vital to the overall working of healthcare whether through hand hygiene, the

sterilisation of medical instruments ² and the use of personal protective equipment (Maina *et al.*, 2020).

3. Impact on Patient Outcomes and Safety

IPC measures particularly in environments where patients are already vulnerable due to illness or compromised immune systems. It can undermine their treatment and put them at risk for more serious health issues when patients are exposed to infections. *For example*, a cancer patient experiencing chemotherapy is mainly susceptible to infections due to their debilitated immune system. Any gap in IPC protocols can have overwhelming significance in such cases. The application of severe IPC measures encourages patients in a safe atmosphere. It is vital for successful treatment consequences which also promotes trust between patients and healthcare suppliers (Nguemeleu *et al.*, 2020). They are more likely to follow prearranged treatments when patients feel self-assured that their safety is ordered.

Minimising Antibiotic Resistance and Preserving Treatment Efficacy

IPC can meaningfully distress patient consequences which play an energetic role in stopping the spread of antibiotic-resistant infections. The misapplication ¹ of antibiotics can lead to the growth of multidrug-resistant organisms. These infections can affect higher humanity rates, improved medical costs and longer hospital stays. IPC helps decrease the necessity for antibiotics by avoiding the transmission of infections in healthcare backgrounds, thus conserving their efficiency (Harun *et al.*, 2022). As an example, patients are less expected to grow infections in backgrounds where IPC measures are severely required that necessitate aggressive antibiotic treatment.

Reducing Healthcare Costs and Resource Utilisation

Effective IPC practices not only have important economic benefits but also recover patient consequences. Patient's experience shorter hospital stays and necessitate fewer medical interventions when infections are prohibited. This comprises hospital beds, equipment and medical staff to decrease the strain of healthcare funds. Patients are less likely to know complications that need enduring treatment, surgeries and intensive care (Herbec *et al.*, 2020). *For example*, a patient who is releasing hospital resources for other patients in necessity, evading a surgical site infection due to correct IPC procedures may be discharged faster.

Supporting Long-Term Health and Recovery

IPC measures also have long-term benefits for patient outcomes. Patients can improve more rapidly and evade the lasting health belongings that infections often caused by stopping

infections during hospital stays or medical treatments. *For example*, patients who diminish pneumonia while on ventilators may experience durable lung damage that disturbs their quality of life even after the infection is clean (Lotfinejad *et al.*, 2020). Patients are more likely to experience full recoveries without long-term complications when infections are prevented through effective IPC.

IPC measures subsidise better retrieval times, condensed healthcare costs and enduring health benefits by decreasing the risk of healthcare-associated infections. IPC plays a vital role in endorsing high-quality care and keeping patients from avoidable harm as a keystone of patient security.

4. Common Infection Sources in Healthcare

HAIs occur when patients are exposed to infections agents during medical care. Healthcare settings are crucial for implementing effective IPC measures and understanding the common sources. The primary sources of infections include airborne transmission, improper sterilisation, contaminated hands and invasive medical devices in healthcare environments (Seidelman *et al.*, 2023).




Figure 2: Common Infection Sources in Healthcare

(Source: Self-Made)

Contaminated Hands of Healthcare Workers

One of the most mutual sources of infection is the hands of healthcare employees. Pathogens can effortlessly be communicated from one patient to another or from healthcare workers to patients without proper hand cleanliness. Smooth brief contact with dirty surfaces or patients can spread infections. Unchanging ⁴ hand washing and the use of alcohol-based hand sanitizers are vital for diminishing this risk.

Invasive Medical Devices

Invasive devices are another main source of infection. These devices avoid the body's natural defences and deliver a straight route for pathogens to enter the circulation or other sterile areas of the body (Kim *et al.*, 2020). For example, ⁵ catheter-associated urinary tract infections (CAUTIs) and central line-associated bloodstream infections (CLABSIs) are mutual HAIs that can consequence from inappropriate management or prolonged use of these devices. Proper insertion, maintenance and timely elimination of invasive devices are indispensable to stop these infections.

Improper Sterilisation of Medical Tools

Inadequate sterilisation of surgical tools or diagnostic implements can present infections into the body during processes. Surgical site infections (SSIs) repeatedly arise when sterile processes are negotiated. *For instance*, bacteria can enter the medical site and cause infections that stay healing and possibly lead to further problems if tools are not correctly disinfected before surgery (World Health Organization, 2021). Strict sterilisation protocols are vital for decreasing the risk of such infections.

Airborne Transmission

Some infections can be fatal through airborne divisions such as tuberculosis, influenza and COVID-19. These pathogens are conveyed when an ill individual coughs, sneezes or talks, discharging droplets or vaporisers that can be breathed in by others. Poor ventilation or congested settings upturn the risk of airborne infections, making isolation defences and ¹ proper use of personal protective equipment (PPE) essential to switch their spread.

Understanding the common infection bases is energetic for applying effective IPC measures in healthcare settings (Islam *et al.*, 2020). Healthcare accommodations can meaningfully moderate the risk of healthcare-associated infections and defend patient care through attentive hand hygiene, careful management of invasive plans, good sterilisation of equipment and scheming airborne transmission.

5. Conclusion

IPC is a cornerstone in healthcare settings of patient safety and the overall quality of care. HAIs can be significantly reduced by addressing common sources of infections. These infections not only threaten patients' lives but also prolong patient recovery and increase healthcare costs particularly in vulnerable populations. Effective IPC measures are essential for protecting patients and healthcare workers. IPC not only contributes to the overall sustainability but also improves patient health of healthcare systems by minimising the risk of infections. Healthcare facilities can maintain high standards of infection control through continuous training ultimately leading to improved patient outcomes. IPC measures reassure patients that their safety is prioritised, building trust between patients and healthcare practices. The economic benefits of reducing HAIs underline the importance of maintaining rigorous IPC standards.

b) Critical Assessment of Infection Anticipation and Regulator in a Nursing Home Background

1. Introduction

Infection prevention and control procedure highlights a systematic method. The IPC method mainly aims to manage and stop several kinds of healthcare-oriented contagions. Inside a nursing home, most of the populaces have weak immune systems because of their long-lasting condition. In this situation, application of proper IPC measures is vibrant. Regular interaction and close living services among the residents can further upsurge their potentials to contact with contagion. Therefore, application of a strong IPC measure is dynamic to defend the wellbeing and health of the patients. Efficient practices of IPC not only lower the incident of contagions. It can also help in growing the overall care superiority.

¹⁰ This study aims to measure the implementation strategies of the IPC procedure within nursing homes and suggestively identifies the challenges in its application. Moreover, significant resolutions are also emphasised in this study to recover this measure. It can help in assuring that all the residents get appropriate and standard care in an infection free atmosphere.

2. Understanding about Infection Prevention and Control process in Nursing Homes

Infection prevention and control (IPC) inside a nursing home consists of a significant practice framework which aims to prevent the spread of infections among other staff and residents.

Nursing home residents often exist with weak immune systems and chronic health conditions. It needs significant assistance with regular activities.

IPC mainly covers several crucial components which includes utilisation of personal protective equipment (PPE), hand hygiene, environmental cleaning and proper management of infectious substances (Alhumaid *et al.*, 2021). Hand hygiene maintenance is vital for IPC. Proper washing of hands can help in lowering the transmission of infections. The centre for disease control and prevention recommended that individuals associated with healthcare need to maintain proper hand hygiene before and after contact with a resident member (CDC, 2024). Washing hands is also important after using the restroom and before meals. Moreover, the PPE like gowns, masks and gloves are vital components in protecting both staff and residents from pathogens especially during the time of disease outbreak. Environmental cleaning processes also need to maintain focus on several high toughed surfaces to further lower the risks of infections.

Implementation of regular training and proper education for the staff regarding the IPC practice is vital to ensure its proper implementation. It can help in endorsing a safety culture within the nursing home facilities (Onyedibe *et al.*, 2020). Implementation of a strong IPC process can help the nursing homes to mitigate all the potential risks efficiently. It can also help in improving the care quality for the residents.

3. Current Infection Prevention and Control Measures Implementation Process

Implementation of IPC measures inside the healthcare and nursing home facilities are vital to protect the residents from healthcare-oriented infections. Primary IPC practices comprise maintenance of proper hand hygiene, necessary use of PPE, vaccination program establishment and environmental cleaning.




Figure 3: Current Infection Prevention and Control Measures

(Source: Self-created)

Hand Hygiene Maintenance: This measure highlights that significant maintenance of hand hygiene is vital to prevent infection transmission (Powell-Jackson *et al.*, 2020). Staff in the healthcare industry need to maintain proper hand hygiene inside the residents. Regular reminders and audits are vital to improve the compliance rate among the staff members.

Personal Protective Equipment (PPE): During the time of infectious outbreak use of PPE is important. Proper training on doffing and donning of PPE is vital to lower the contamination related risks (Maki and Zervos, 2021).

Environment cleaning: Proper disinfection and cleaning of various high touched surfaces are vital. For example, light switches, door knobs and shared equipment are vital IPC components (Maki and Zervos, 2021). Utilisation of EPA registered disinfectants are vital to ensure significant pathogen elimination.

Vaccination Program: Necessary vaccination initiative against influenza and other preventive diseases are important to protect all the vulnerable residents. Yearly flu vaccination for all the healthcare residents and workers is important in long terminal care facilities (Rios *et al.*, 2020). Implementation of these IPC measures can help the nursing homes to lower the rate of infections. It will also guarantee a safe environment for all the staff and healthcare residents.

4. Challenges in Implementing Infection Control and Prevention Strategy in Nursing Homes

Implementation of IPC strategies in the nursing home background also faces several challenges which can lower its effectiveness. Some significant challenges are as follows,



Figure 4: Challenges in Implementing Infection Control and Prevention Strategy

(Source: Self-created)

Staff Shortage

One vital challenge associated with IPC implementation is the staff shortage. Most nursing homes maintain their operations along with inadequate levels of staff. It sometimes leads towards increased existing personals and results lapses in the IPC process (Ingram *et al.*, 2021). Increased workload also impacts negatively on staff's compliances with the IPC process. It increases the infection related risks among residents.

Insufficient Education and Training for Staff

It is another vital barrier for the staff in healthcare. High rate of turnover in the nursing home can result in continuity lacking in IPC training. It can lead towards the knowledge gap about infection control practice (Ingram *et al.*, 2021). Unless proper training program staff may not comprehend the significance of IPC measure and its proper implementation process.

Change Resistance

Change resistance is another common issue. Most staff can get reluctant in adopting new protocols of IPC specially if they think that those changes are unnecessary (Willcox *et al.*, 2024). This kind of reluctance can lower the efforts of the infection improvement process.

Resource Limitation

Insufficient access to disinfectants and other necessary supplies can compromise the ability of nursing homes in maintaining a strong IPC measure.

Addressing all these challenges are vital to increase the effectiveness of IPC in the nursing home. It can also help in improving the care quality and resident safety.

5. Solutions to Increase ⁴Infection Prevention and Control

Improvement of IPC in nursing homes needs a significant approach to address all the existing challenges. It can also help in endorsing a compliance and safety culture within the healthcare landscape.



Figure 5: Solutions to Increase Infection Prevention and Control

(Source: Self-created)

Increased Staffing Level

It is a significant solution to improve the staffing level within nursing homes. Adequate staffing measures not only lower the workload on the existing individuals, but also it will increase the significance of IPC implementation measures (Maki and Zervos, 2021). Guaranteeing adequate staffing and facilities can help a nursing home to improve its compliance with IPC protocols. Ultimately it will also protect the health of the residents.

Significant Training Program

Maintenance and development of a significant training program on IPC is vital. Daily training initiatives need to cover hand hygiene. Proper use of PPE and clearing protocol maintenance are also crucial factors. Use of combined online resources and training approaches can accommodate several learning styles. It can help in guaranteeing that all staff are updated with the latest guidelines.

Nurturing Safety Culture

Establishment of proper safety culture inside the nursing home is vital to promote IPC measure adherence (Rios *et al.*, 2020). Associating staff in discussion sessions regarding the

significance of IPC and implementation of open communication regarding near misses can nurture accountability and ownership.

Assuring Proper Resources

Guaranteeing the availability of proper resources like disinfectants are vital for efficient IPC implementation (Ingram *et al.*, 2021). Partnership with suppliers and regular inventory check-ups can help in maintaining a necessary stock level by preventing the shortage.

Implementation of these solution measures can help the nursing homes to increase their IPC practices while improving the wellbeing of the residents.

6. Examples of Best Practices and Case Studies

Various best practices and case study aligned examples highlight the significant infection prevention strategies in nursing homes. One noticeable example can be highlighted during Covid-19 pandemic (Collison *et al.*, 2020). In that time three tiered Covid-19 cohorting strategies were implemented. This approach involved categorising the residents on the basis of their infection status. It was positive, negative and unknown. All the residents were grouped accordingly and assigned to the dedicated staff for each cohort. It helped in reducing the virus transmission while providing care that addressed the exclusive necessities of different care for different groups (Collison *et al.*, 2020).




Figure 6: Score of Infection Prevention Control in Several Hospitals

(Source: Al-Faouri *et al.*, 2021)

Study of Bloch *et al.*, (2023), highlighted the examples of significant IPC measures in both non-outbreak and outbreak background. Primary strategies were identified in comprising

necessary hand hygiene practices. Implementation of this measure was shown efficiently to diminish the infection rate within long term healthcare facilities.

Acknowledging the attitude and knowledge of several healthcare workers to the IPC is vital. Study of Alhumaid *et al.*, (2021), highlighted that improving the knowledge of staff with continuous training and education programs can significantly influence the IPC protocols. Healthcare facilities that invest in daily training programs showed significant improvement in compliance rate. It had led towards a strong infection control situation.

All these instances highlight the significance of IPC practices in nursing homes to improve the care quality and resident safety.

7. Conclusion

Infection anticipation and regulator (IPC) actions are important in healthcare organisations. These actions are vibrant for defending the wellbeing and health of the populaces who are susceptible to get infected with healthcare-oriented contagions. This assessment has discovered the significance of important IPC performs with proper evaluation of related challenges. Strategies like incessant staff training, cohorting while disease outbreak and severe hand hygiene and PPE protection application can help in dropping the infection rate. Numerous challenges like change resistance, restriction of resources and staff shortage need essential solutions. Development of a safety culture and refining the training method can help the nursing homes to recover the IPC consequences suggestively. Moreover, application of best practices and proper tactical plannings can help the nursing homes to create a safer atmosphere for the residents. Prioritising IPC is not only a regulatory requirement it is also a moral duty to guarantee uppermost care quality for long terminal healthcare services.

References

- Al-Faouri, I., Okour, S.H., Alakour, N.A. and Alrabadi, N., 2021. Knowledge and compliance with standard precautions among registered nurses: A cross-sectional study. *Annals of medicine and surgery*, 62, pp.419-424. <https://www.sciencedirect.com/science/article/pii/S2049080121000595>
- Alhumaid, S., Al Mutair, A., Al Alawi, Z., Alsuliman, M., Ahmed, G.Y., Rabaan, A.A., Al-Tawfiq, J.A. and Al-Omari, A. (2021). Knowledge of infection prevention and control among healthcare workers and factors influencing compliance: a systematic review. *Antimicrobial Resistance & Infection Control*, [online] 10(1). doi:<https://doi.org/10.1186/s13756-021-00957-0>.
- Bloch, N., Männer, J., Gardiol, C., Kohler, P., Kuhn, J., Münzer, T., Schlegel, M., Kuster, S.P. and Flury, D. (2023). Effective infection prevention and control measures in long-term care facilities in non-outbreak and outbreak settings: a systematic literature review. *Antimicrobial Resistance and Infection Control*, [online] 12(1), p.113. doi:<https://doi.org/10.1186/s13756-023-01318-9>.
- CDC (2024). *Transmission-Based Precautions*. [online] Infection Control. Available at: <https://www.cdc.gov/infection-control/hcp/basics/transmission-based-precautions.html#:~:text=Use%20personal%20protective%20equipment%20>
- Collison, M., Beiting, K.J., Walker, J., Huisingh-Scheetz, M., Pisano, J., Chia, S., Marrs, R., Landon, E., Levine, S. and Gleason, L.J. (2020). Three-Tiered COVID-19 Cohorting Strategy and Implications for Memory-Care. *Journal of the American Medical Directors Association*, [online] 21(11), pp.1560–1562. doi:<https://doi.org/10.1016/j.jamda.2020.09.001>.
- Emmanuel, U., Osondu, E.D. and Kalu, K.C., 2020. Architectural design strategies for infection prevention and control (IPC) in health-care facilities: towards curbing the spread of Covid-19. *Journal of environmental health science and engineering*, 18, pp.1699-1707. <https://link.springer.com/article/10.1007/s40201-020-00580-y>
- Harun, M.G.D., Anwar, M.M.U., Sumon, S.A., Hassan, M.Z., Haque, T., Mah-E-Muneer, S., Rahman, A., Abdullah, S.A.H.M., Islam, M.S., Styczynski, A.R. and Kaydos-Daniels, S.C., 2022. Infection prevention and control in tertiary care hospitals of Bangladesh: results from WHO infection prevention and control assessment framework (IPCAF). *Antimicrobial Resistance & Infection Control*, 11(1), p.125. <https://link.springer.com/article/10.1186/s13756-022-01161-4>

- Herbec, A., Chimhini, G., Rosenberg-Pacareu, J., Sithole, K., Rickli, F., Chimhuya, S., Manyau, S., Walker, A.S., Klein, N., Lorencatto, F. and Fitzgerald, F.C., 2020. Barriers and facilitators to infection prevention and control in a neonatal unit in Zimbabwe—a theory-driven qualitative study to inform design of a behaviour change intervention. *Journal of Hospital Infection*, 106(4), pp.804-811. <https://www.sciencedirect.com/science/article/pii/S0195670120304357>
- Ingram, C., Downey, V., Roe, M., Chen, Y., Archibald, M., Kallas, K.A., Kumar, J., Naughton, P., Uteh, C.O., Rojas-Chaves, A. and Shrestha, S., 2021. COVID-19 prevention and control measures in workplace settings: a rapid review and meta-analysis. *International journal of environmental research and public health*, 18(15), p.7847. <https://www.mdpi.com/1660-4601/18/15/7847/pdf>
- Islam, M.S., Rahman, K.M., Sun, Y., Qureshi, M.O., Abdi, I., Chughtai, A.A. and Seale, H., 2020. Current knowledge of COVID-19 and infection prevention and control strategies in healthcare settings: A global analysis. *Infection Control & Hospital Epidemiology*, 41(10), pp.1196-1206. <https://www.cambridge.org/core/journals/infection-control-and-hospital-epidemiology/article/current-knowledge-of-covid19-and-infection-prevention-and-control-strategies-in-healthcare-settings-a-global-analysis/92A6DE5D0B61CBEB5880F7A9FCC5C03F>
- Kim, J.Y., Choe, P.G., Oh, Y., Oh, K.J., Kim, J., Park, S.J., Park, J.H., Na, H.K. and Oh, M.D., 2020. The first case of 2019 novel coronavirus pneumonia imported into Korea from Wuhan, China: implication for infection prevention and control measures. *Journal of Korean medical science*, 35(5). <https://synapse.koreamed.org/upload/synapsedata/pdfdata/0063jkms/jkms-35-e61.pdf>
- Lotfinejad, N., Assadi, R., Aelami, M.H. and Pittet, D., 2020. Emojis in public health and how they might be used for hand hygiene and infection prevention and control. *Antimicrobial resistance & infection control*, 9, pp.1-6. <https://link.springer.com/article/10.1186/s13756-020-0692-2>
- Maina, M., Tosas-Auguet, O., English, M., Schultsz, C. and McKnight, J., 2020. Infection prevention and control during the COVID-19 pandemic: challenges and opportunities for Kenyan public hospitals. *Wellcome open research*, 5. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7645384/>
- Maki, G. and Zervos, M., 2021. Health care-acquired infections in low-and middle-income countries and the role of infection prevention and control. *Infectious Disease Clinics*, 35(3), pp.827-839. [https://www.id.theclinics.com/article/S0891-5520\(21\)00048-9/pdf](https://www.id.theclinics.com/article/S0891-5520(21)00048-9/pdf)

- Ngumemeleu, E.T., Beogo, I., Sia, D., Kilpatrick, K., Séguin, C., Baillot, A., Jabbour, M., Parisien, N., Robins, S. and Boivin, S., 2020. Economic analysis of healthcare-associated infection prevention and control interventions in medical and surgical units: systematic review using a discounting approach. *Journal of Hospital Infection*, 106(1), pp.134-154. <https://www.sciencedirect.com/science/article/pii/S0195670120303327>
- Onyedibe, K.I., Shehu, N.Y., Pires, D., Isa, S.E., Okolo, M.O., Gomerep, S.S., Ibrahim, C., Igbanugo, S.J., Odesanya, R.U., Olayinka, A. and Egah, D.Z., 2020. Assessment of hand hygiene facilities and staff compliance in a large tertiary health care facility in northern Nigeria: a cross sectional study. *Antimicrobial Resistance & Infection Control*, 9, pp.1-9. <https://link.springer.com/content/pdf/10.1186/s13756-020-0693-1.pdf>
- Powell-Jackson, T., King, J.J., Makungu, C., Spieker, N., Woodd, S., Risha, P. and Goodman, C., 2020. Infection prevention and control compliance in Tanzanian outpatient facilities: a cross-sectional study with implications for the control of COVID-19. *The Lancet Global Health*, 8(6), pp.e780-e789. <https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X%2820%2930222-9.pdf>
- Rios, P., Radhakrishnan, A., Williams, C., Ramkissoon, N., Pham, B., Cormack, G.V., Grossman, M.R., Muller, M.P., Straus, S.E. and Tricco, A.C., 2020. Preventing the transmission of COVID-19 and other coronaviruses in older adults aged 60 years and above living in long-term care: a rapid review. *Systematic reviews*, 9, pp.1-8. <https://link.springer.com/content/pdf/10.1186/s13643-020-01486-4.pdf>
- Saiman, L., Acker, K.P., Dumitru, D., Messina, M., Johnson, C., Zachariah, P., Abreu, W., Saslaw, M., Keown, M.K., Hanft, E. and Liao, G., 2020, November. Infection prevention and control for labor and delivery, well baby nurseries, and neonatal intensive care units. In *Seminars in Perinatology* (Vol. 44, No. 7, p. 151320). WB Saunders. <https://www.sciencedirect.com/science/article/pii/S0146000520301038>
- Seidelman, J.L., Mantyh, C.R. and Anderson, D.J., 2023. Surgical site infection prevention: a review. *Jama*, 329(3), pp.244-252. <https://jamanetwork.com/journals/jama/article-abstract/2800424>
- Willcox, M.L., Lavu, D., Yousaf, U., Dalton, S., Roberts, N. and Plüddemann, A., 2024. The effectiveness of interventions to reduce the transmission of acute respiratory infections in care homes: a systematic review. *Journal of Public Health*, p.fdae178. <https://academic.oup.com/jpubhealth/advancearticlepdf/doi/10.1093/pubmed/fdae178/58803555/fdae178.pdf>

World Health Organization, 2021. *Infection prevention and control during health care when coronavirus disease (COVID-19) is suspected or confirmed: interim guidance, 12 July 2021* (No. WHO/2019-nCoV/IPC/2021.1). World Health Organization.
<https://apps.who.int/iris/bitstream/handle/10665/342620/WHO-2019-nCoV-IPC-2021.1-eng.pdf>

ORIGINALITY REPORT

4%

SIMILARITY INDEX

4%

INTERNET SOURCES

2%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

1

pure.uva.nl

Internet Source

1%

2

core.ac.uk

Internet Source

<1%

3

www.frontiersin.org

Internet Source

<1%

4

www.mdpi.com

Internet Source

<1%

5

www.coursehero.com

Internet Source

<1%

6

cris.maastrichtuniversity.nl

Internet Source

<1%

7

Chakkrich Pidjadee, Kim Lam Soh, Tassanee Attharos, Kim Geok Soh. "The effect of infection prevention and control programme for childcare workers in daycare centres: A systematic review", Journal of Pediatric Nursing, 2024

Publication

<1%

8

academic.oup.com

Internet Source

<1 %

9

repository.aaup.edu

Internet Source

<1 %

10

www.scirp.org

Internet Source

<1 %

11

Mengistu Yilma, Girma Taye, Muluwork Tefera, Berhan Tassew, Atalay Mulu Fentie, Workeabeba Abebe. "Exploring barriers to and facilitators of infection prevention and control practices in the Pediatrics and Child Health Department of Tikur Anbessa Specialized Hospital, Ethiopia", Antimicrobial Resistance & Infection Control, 2024

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On